




# LABORATORY AND TECHNICAL CONTROL DIRECTORATE PLANT LABORATORY UNIT





# Pesticide Residue Laboratory

## Analytical Determinations:

- Organochlorines
- Organophosphates
- Pyrethroids
- Carbamates
- Others



# Analytical Equipment:

- GC-ECD/NPD/FPD
- GC-MS
- HPLC-DAD-FLD with Derivatisation Post-column
- LC-MS-MS



# GENERAL REQUIREMENTS FOR THE INSCRIPTION IN THE SENASA'S NATIONAL LABORATORY NETWORK

 **FACILITIES**

 **PERSONNEL**

 **COMPLIMENT WITH ISO/IEC 17025 OR GLP**

 **SAGPYA DIRECTIVE N<sup>o</sup> 736/2006**





# **SPECIAL REQUIREMENTS FOR THE INSCRIPTION IN THE SENASA'S NATIONAL PESTICIDE RESIDUE LABORATORY NETWORK**

- VALIDATED MULTIRESIDUE METHODS**
- PARTICIPATION IN PROFICIENCY TEST**



## **LEGISLATION**

### **NATIONAL MAXIMUM RESIDUE LEVEL (MRLs)**

- **RESOLUCION SAGPyA 507/2008**